



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁷ : C11D 3/48, 3/38, 1/835, A01N 63/00, 33/12 // C11D 1/62		A1	(11) International Publication Number: WO 00/63338 (43) International Publication Date: 26 October 2000 (26.10.00)
(21) International Application Number: PCT/US00/08312 (22) International Filing Date: 29 March 2000 (29.03.00) (30) Priority Data: 09/293,243 16 April 1999 (16.04.99) US 09/453,351 1 December 1999 (01.12.99) US (71) Applicant: SPARTAN CHEMICAL COMPANY, INC. [US/US]; 1110 Spartan Drive, Maumee, OH 43537-0110 (US). (72) Inventors: SCHALITZ, William, John; 7720 Manroe Road, Whitehouse, OH 43571 (US). WELCH, Jason, J.; 323 Three Meadows Ct., Perrysburg, OH 43551 (US). COOK, Ronald, Thomas; 808 Savoie Avenue, Bowling Green, OH 43402 (US). (74) Agent: SCHRAMM, William, J.; Reising, Ethington, Barnes, Kisselle, Learman & McCulloch, P.C., P.O. Box 4390, Troy, MI 48099 (US).			(81) Designated States: AU, BR, CA, MX, NO, NZ, European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE). Published <i>With international search report.</i>
(54) Title: AQUEOUS DISINFECTANT AND HARD SURFACE CLEANING COMPOSITION AND METHOD OF USE			
(57) Abstract Described is an aqueous disinfectant and hard surface cleaning composition comprising: an effective disinfecting amount of a quaternary ammonium compound; an effective amount of a spore forming microbial composition; and an effective water dispersing amount of a surfactant. The composition is used to clean a hard surface containing a diverse microbial flora. The composition cleans and disinfects by killing off undesirable microorganisms which may be causing offensive odors and leaves behind <i>Bacillus</i> spores which will then germinate and degrade any remaining ongoing residues without creating offensive odors.			

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

AQUEOUS DISINFECTANT AND HARD SURFACE CLEANING COMPOSITION AND METHOD OF USE

5

TECHNICAL FIELD

The present invention is concerned with a disinfecting and
hard surface cleaning composition utilizing spore forming microbiological
10 bacteria.

BACKGROUND OF THE INVENTION

In the general housekeeping environment in many facilities,
15 there are numerous soiled surfaces.

In the general housekeeping environment of many facilities,
there are numerous surfaces which are difficult for the custodial staff to
adequately clean and maintain. The composition and/or function of these
surfaces is such that they typically harbor organic soils and a diverse
20 microbial flora that standard cleaning procedures do not effectively remove.

Such surfaces include, but are not limited to, floors and walls in areas such
as kitchens, restrooms, locker rooms, animal production facilities, kennels
or veterinary clinics, loading docks, trash collection bins, and public transit
operations.

25 As these surfaces accumulate soil and the natural microbial
flora proliferates due to inadequate cleaning, the facility suffers two
consequences. First, apparent cleanliness of the facility diminishes due to

the soil load found in these materials. Secondly, this soil load can become a major source of nuisance odors due to the biological degradation of the organics by the resident microbial population.

Current technology does not offer an effective and efficient manner with which to solve this cleaning task. The principle method of cleaning employed relies on a light to medium duty cleaner and/or cleaner/disinfectant.

These types of products are capable of removing most surface soils and in the case of a disinfectant, destroying some of the resident bacterial population. They are not, however, effective against the soils that have penetrated the surface nor does their use of fragrances to mask odor offer any residual control of these nuisances. Because of this, either effective cleaning does not take place or a multi-step process is required to be successful. The best available cleaning technology involves application of the above type product(s) to clean the surface, followed by a rinse of clear water, and the use of a biologically active product to "deep clean" the surface and control odors. Biological products based on bacteria from the genus *Bacillus* "deep clean" and control odors through the biological degradation of the organics trapped in the substrate.

The objective of this invention is to offer a single-step process by which to accomplish cleaning of these surfaces. The invention is a combination of cleaning, disinfecting, and microbiological activity in one aqueous product.

The utilization of the microbial materials is to destroy offensive odors and their source that may be present on a surface. The purpose of the antimicrobial component is to kill various types of microorganisms found on the surface which might pose health concerns or contribute to nuisance odors. The microbials remain on the surface (after

use) to continue the cleaning process through degradation of residual organics. A particularly important aspect of formulating antimicrobial products is that they remain stable for a long period of time. The microbiological materials likewise need to be stable in the presence of the
5 other components of a cleaning composition such as the antimicrobial actives such as the quaternary ammonium compounds.

It is an object of the present invention to obtain an effective disinfectant and hard surface cleaning composition that is aqueous based.

It is an object of the present invention to obtain and utilize in
10 combination a disinfectant, hard surface cleaning, and bacterial composition that is stable for a long period of time, but also allows the microbial material to remain active on the hard surface after the drying of the cleaning composition.

It is an object of the present invention to utilize an aqueous
15 composition containing the genus *Bacillus* in the presence of disinfectants such as quaternary ammonium compounds.

It is an object of the present invention to perform general cleaning tasks in a more efficient manner whereby the multi-step cleaning process to clean, disinfect and control odors on hard surface substrates is
20 decreased. The utilization of this invention will permit the saving of labor time and reduce chemical inventory.

It is an object of the present invention to utilize compositions that contain a bacterial content that provides better environmental fate attributes to both on site waste treatment systems and
25 municipal treatment plants through biological augmentation of the indigenous bio-mass.

The following references may be pertinent to the invention disclosed herein.

PCT Publication WO97/25865 pertains to a sanitizing composition containing a surfactant, a chelating agent, a preservative, a thickening agent and a *Bacillus* microorganism.

U.S. Patent No. 5,449,619 pertains to a drain opener
5 formulation containing a *Bacillus* microorganism and a surfactant as well as a preservative.

U.S. Patent No. 4,839,373 pertains to preservative composition containing quaternary ammonium compounds in conjunction with a specific preservative, which is a derivative of benzothiazole in
10 specific ratios.

U.S. Patent No. 4,404,128 pertains to an enzyme detergent composition where the enzyme is a proteolytic enzyme.

U.S. Patent No. 4,655,794 pertains to a liquid cleaning compound containing abrasive particles plus viable microorganisms, such
15 as, *Bacillus*, a detergent, thickener and an anti-settling agent. The composition is a cleaning composition.

U.S. Patent No. 5,409,546 pertains to a method for cleaning and disinfecting contact lens wherein there is a preservative which is a serine protease derived from bacteria belonging to the genus, *Bacillus*, a
20 metal chelating agent and boric acid. Non-ionic surfactants are also described.

U.S. Patent No. 5,731,278 describes heavy-duty laundry detergents containing surfactants, non-surface active liquid carrier compositions, viscosity enhancing agents and enzymes.

25 PCT publication WO97/16541 described an alkaline protease, which describes a strain of *Bacillus* and which shows a stability in the presence of surfactants.

PCT publication WO97/38586 discloses a method of preventing the growth of microorganisms other than *Salmonella* on meat products by contacting the meat product with a microbial growth inhibiting amount of a quaternary ammonium compound together with a
5 microorganism, such as *Bacillus*.

SUMMARY OF THE INVENTION

Described is an aqueous disinfectant and hard surface
10 cleaning composition comprising:

an effective disinfecting amount of a quaternary ammonium compound;

an effective amount of a spore forming microbial composition; and

15 an effective water dispersing amount of a surfactant.

Also described is a method of cleaning a soiled hard surface containing a diverse microbial flora, comprising applying the composition as described above to the surface and drying the surface thereby cleaning the surface.

20 Also described is a concentrated aqueous disinfectant and hard surface cleaning composition described above useful by diluting the composition with water in an amount of 1-10% by weight of the composition and the rest water.

DESCRIPTION OF PREFERRED EMBODIMENTS

The aqueous disinfectant and hard surface cleaning composition of the present invention utilizes an effective disinfecting amount of a quaternary ammonium compound. The ammonium compound is a cationic detergent which provides excellent activity against bacteria, fungi and enveloped viruses. Additionally, quaternaries offer consistent efficacy in the presence of poor water quality and organic soil load conditions. For a more detailed listing of enveloped viruses, see Fields Virology, 2nd Edition 1990.

Antimicrobial cationics available to the trade.

There are three principal suppliers of quaternary based antimicrobials that are registered as actives for this type of use with the EPA. These companies are Lonza, Stepan and Mason Chemical Company. The trade names under which they are marketed are Bardac, BTC and Maquat respectively. All of the desirable cationic material sold conform to one of the following families:

20	First Generation:	$C_6H_5-CH_2N(CH_3)_2R$ Alkyldimethylbenzyl ammonium chloride
	Second Generation:	$(C_2H_5)_2C_6H_5-CH_2N(CH_3)_2R$ Alkyldimethylethylbenzyl ammonium chloride
25	Third Generation:	$N(R)_2(CH_3)_2$ R-dimethyl ammonium chloride

The preferred cationic detergent is from the quaternary ammonium chloride family such as the BTC (trademark) materials from Stepan Chemical including dialkyl of from 6-18 carbon atoms dialkyl of from 1-4 carbon atoms ammonium chloride; preferably didecyl dimethyl ammonium chloride, dioctyl dimethyl ammonium chloride, octyl decyl dimethyl ammonium chloride and alkyl (C_{14} - 50%, C_{12} -40%, C_{16} -10%) dimethyl benzyl ammonium chloride. Even more preferably is a blend of the ammonium chloride materials as recited below.

The system utilized in this product is designed to maximize all of the beneficial aspects of quaternary ammonium compounds and consists of the following blend in a 1:1:2:2.67 wt. ratio respectively:

1. Didecyl dimethyl ammonium chloride (BTC 818)
(Trademark of Stepan Chemical)
2. Dioctyl dimethyl ammonium chloride (BTC818)
(Trademark of Stepan Chemical)
3. Octyl decyl dimethyl ammonium chloride (BTC 818)
4. Alkyl (C_{14} -50% by wt, C_{12} -40% by wt, C_{16} -10% by wt) dimethyl benzyl ammonium chloride. (BTC 835) (Trademark of Stepan Chemical)

20

During use as a disinfecting composition, the total levels of this blend (1-4) will preferably range from 500 to 1000 ppm's (parts by weight per million).

Other quaternary materials that may be utilized are Tomah quaternaries (trademark of Tomah Products of Milton, Wisconsin for quaternary ammonium materials).

Tomah quaternaries are based on the reaction of high molecular weight aliphatic tertiary amines with an alkylating agent such as

methyl chloride. Quaternaries are more cationic and more stable to pH change than other amine-based surfactants such as ethoxylated amines or amine acetate salts. The different molecular configurations give different solubility, emulsification, and cationic strength properties.

- 5 Most Tomah Quaternaries can be represented by the formula where R is an aliphatic hydrophobe.



R is an aliphatic alkyl of hydrophobe (of from 6-18 carbon atoms)

Other useful quaternary ammonium materials from Tomah

10 are:

Q-14-2 75% active isodecyloxypropyl dihydroxyethyl methyl ammonium chloride;

15 Q-14-2PG 75% active isodecyloxypropyl dihydroxyethyl methyl ammonium chloride (supplied in propylene glycol);

Q-17-2 75% active isotridecyloxypropyl dihydroxyethyl methyl ammonium chloride;

20

Q-17-2PG 75% active isotridecyloxypropyl dihydroxyethyl methyl ammonium chloride (supplied in propylene glycol);

Q-18-2 (50) 50% active octadecyl dihydroxyethyl methyl ammonium chloride;

25

Q-18-15 100% active octadecyl poly (15)oxyethylene methyl ammonium chloride;

- Q-D-T 50% active tallow diamine diquatery;
- 5 Q-DT-HG 70% active tallow diamine diquatery (supplied in
 hexylene glycol);
- Q-C-15 100% active coco poly(15)oxyethylene methyl ammonium
 chloride; and
- 10 Q-ST-50 50% active trimethyl stearyl quaternary ammonium material.

 The present invention utilizes an effective amount of a spore
forming microbial composition. The biological products that are desirable
with the present invention are in liquid or lyophilized form and are

15 generally based upon the bacteria from the genus *Bacillus*. These
organisms are preferred because they are easy to be formulated due to their
ability to go into a dormant spore state. In addition, the organic degradation
abilities of certain species within the *Bacillus* genus are appropriate for the
types of applications described herein for cleaning purposes. Further, the

20 *Bacillus* bacteria lend themselves readily to large scale fermentation. The
bacterial content of the formulations as described herein are desirable based
upon their stability in the presence of the other components of the
formulation, in particular, the antimicrobial quaternary materials. Preferred
organisms are *Bacillus amyloliquefaciens*, *Bacillus licheniformis*, *Bacillus*

25 *megaterium* and *Bacillus subtilis*. These products are commercially
available from a number of sources. The preferred materials of the *Bacillus*
genus can be obtained from Semco Laboratories, Inc. available under the
name Sporzyme 1B, Sporzyme Ultra Base 2, Sporzyme EB and Sporzyme

BCC (all trademarks of Semco Laboratories for liquid materials containing bacterial spores of the *Bacillus* genus). The *Bacillus* genus materials are also available from Sybron Chemicals, Inc. of Wilmington, DE.

An additional component utilized in the disinfectant
5 cleaning composition of the present invention is a surfactant. The use of surfactants is to assist in decreasing the surface tension of water and remove soils from the substrate. A particularly desirable group of surfactants are those that maintain the stability of the cationic disinfectant and the microbiological materials. The surfactants that are preferably utilized are
10 non-ionic and amphoteric materials. These materials provide efficient wetting of the substrate to be cleaned, emulsification of oily soils and are ionically compatible with the cationic components of the cleaning composition.

Non-ionic materials that may be utilized include fatty
15 amines or oxides, fatty alkanolamides, alkyl polyglucosides and linear alcohol ethoxylates. Preferred surfactants are secondary alcohol ethoxylates, betaines, sultaines and amine oxides. Preferred alcohol ethoxylates and ethoxysulfates are available under the trademark Neodol Chemical Company (trademark for surfactants of Shell). Neodol
20 products include linear primary alcohols in a C₉-C₁₅ alkyl range, ethoxylate non-ionic surfactants and ethoxy sulfate.

Further examples of non-ionic surfactants are materials known as Igepal (trademark of Rhodia, Inc. for nonyl phenoxy polyethoxy ethanol); Tergitol NP (trademark of Union Carbide Corp. for nonylphenol
25 ethoxylate); Tergitol 15-S (trademark of Union Carbide Corp. for secondary alcohol ethoxylates); Triton X series (trademark of Union Carbide Corp. for octyl phenol polyethoxylate) and Tween Materials (trademark of ICI

Americas, Inc. for polyoxyethylene (20) sorbitan monostearate and polyoxyethylene sorbitan monooleate). Examples of amphoteric materials include Mirataine CBC and Miranol C2MSF (trademark of Rhodia, Inc. for surfactant) and Lexaine (trademark of Inolex Co. for cocoamidopropyl
5 betaine).

In order to maintain the stability of the dispersion of the microbiological spores that are utilized in the present case and to prevent the spores from settling out, which causes a loss in the effectiveness of a product, thickening agents are utilized. The thickening agents that are
10 desirable are those that are compatible with cationic systems. A preferred thickening agent is a cellulosic material such as hydroxyethylcellulose. Preferred are Natrosol (trademark of Hercules for non-ionic water soluble polymer hydroxyethyl cellulose) and Cellosize (Trademark of Union Carbide for hydroxymethylcellulose).

15 An additional thickening agent that may be used is Acusol 880/882 – (Trademark of Rohm and Haas Co. for nonionic associative polymer mixture of polyethylene glycol, propylene glycol and water having a pH of 7-9 and a viscosity of 60,000 CPS maximum).

The formulation for cleaning composition of the present application is as follows:

NAME	CONCENTRATE AMOUNT (% by wt.)	PREFERRED AMOUNT FOR USE
Cationic Material	1-10%, preferably 5.5%	0.1-2%, preferably 0.085%
Microbiological Material	$1 \times 10^9 - 1 \times 10^{12}$, preferably 5.0×10^{11} CFU/gallon	$1 \times 10^8 - 1 \times 10^{10}$, preferably 7.8×10^9 CFU/gallon
Surfactant	1-10%, preferably 6.53%	0.1 to 5%
Thickening Agent	0.01 - 2.0%, preferably 0.25%	(0.0002 - 0.005%) trace
Remaining Amount: Water	Total 100%	

The pH of the composition in the concentrate form ranges
5 from about 6 to 8. The pH in the composition as actually used ranges from about 7 to 8.

A preferred formulation is recited below. The composition is prepared by mixing the ingredients as described.

TABLE I

Formula (% by wt.)

5	Water	50.00%	pH-8.0 +/-0.2%
	Natrosol 250 HR	0.25%	*RIS-13.0% +/-0.2%
	(hydroxyethyl cellulose thickener)		
	45% Potassium Hydroxide	0.0225%	Specific Gravity -0.999
10	Sodium Chloride	0.2%	
	Q-17-2	1.7%	
	(Quaternary)		
	Neodol 25-7	5%	
15	(non-ionic surfactant)		
	BTC 818	6.53%	
	(Quaternary)		
	BTC 835	4.35%	
20	(Quaternary)		
	Fragrance	0.15%	
	Citric Acid	0.01%	
	Water	31.87%	
	Bacteria Cultures	0.01%	
25	Dye	0.002%	
	*RIS means refractive index of solids.		

Mixing instructions:

Add the ingredients in the order above. First, add the water and disperse the Natrosol 250 HR slowly and evenly to the water. Avoid large clumps of Natrasol 250 HR. Once the total amount of the Natrosol 250 HR has been added, add the potassium hydroxide to the solution. Mix well for approximately ten minutes or until the Natrosol 250 HR is hydrated. After the Natrosol 250 HR has been hydrated continue by adding

the salt, and mix for two minutes, or until dissolved. Next, add the Q-17-2 and the Neodol 25-7, mix well for ten minutes or until there are no chunks of undispersed surfactant. Continue by adding the BTC 818 and the BTC 835. After the surfactants are dispersed, add the fragrance and mix until
 5 solution becomes clear. Before adding the Bacterial cultures adjust the pH by adding the citric acid. Finally, mix the final water and the bacterial cultures in a separate container. When the Bacterial cultures are completely hydrate, add to the batch. Last, add the dye and mix until dispersed thoroughly.

10 The formulation as described above in Table I was subjected to bacterial stability tests, namely subjecting the composition to long term stability at room temperature and at a hot box temperature of 100°F.

The Table II below indicates the long term stability of the composition of the invention.

15

TABLE II

Days	0	7	17	27	34	41	45	46	52	60	87	100
Room* Temp CFU	2.63	2.6	2.7	2.5	2.23	1.6	4.37	2.2	2.33	2.45	1.87	1.9
100°F * CFU	2.63		0.4	1.1	1.17	1.05	0.43	2.17	0.53	0.57	1.0	0.4

CFU = Colony Forming Unit ($\times 10^7$)

*Data given at room temperature and at 100°F

20 The compositions of the present application can easily be utilized to meet the cleaning performance requirements of different testing techniques. An example of such testing technique is a cleaning verification as described in ASTM D 4488-95 where the natural or accelerated aging of

soil such as baked on greasy soil may be utilized to correlated with actual use. Other actual use tests to determine antimicrobial efficacy are the SARC (semi-automatic ring carrier) modification to and actual AOAC use-dilution method for testing disinfectants. See the AOAC Official Methods
5 Of Analysis, 15th Edition, 1990.

It has been found particularly useful in the testing of Applicant's compositions to utilize nisin in a modification to the AOAC method compositions. Nisin is an antibiotic containing 34 amino acid residues, produced by *streptomyces lactis*.

10 Explanation of Nisin:

Nisin is not an ingredient in the product formulation. It is a modification to the AOAC test method. Specifically, when setting up the test sub-culture 0.1 µg/ml of nisin is added to the letheen broth. This level of nisin shows no bacteriostatic effect on the test organism, but inhibits out-
15 growth of any *Bacillus* spores which are transferred over on the carrier from the test solution.

The standard "use-dilution" test was run against *Staphylococcus aureus*, *Pseudomonas aeruginosa*, *Salmonella choleraesuis* and *Escherichia coli*. The inventive composition described in Table I
20 satisfactorily passed such tests.

Other components may be added to the composition without materially modifying the composition such as colorant and fragrance.

The composition as described above is particularly useful for the overall desires of the present application for cleaning and disinfecting hard surfaces.

An additional preferred formulation is recited below. The
5 composition is prepared by mixing the ingredients similar to that described above.

TABLE IV

Formula (% by wt.)			
10	Water	85.77%	pH-7.0 +/-0.2%
	Natrosol 250 HR	0.25%	*RIS-13.0% +/-0.2%
	(hydroxyethyl cellulose thickener)		
	45% Potassium Hydroxide	0.0225%	Specific Gravity -0.999
15	Calcium Chloride	0.2%	
	Q-17-2	0.6%	
	(Quaternary)		
	Neodol 1-7	1.69%	
20	(non-ionic surfactant)		
	Neodol 1-3	0.56%	
	BTC 818	6.53%	
	(Quaternary)		
25	BTC 835	4.35%	
	(Quaternary)		
	Citric Acid	.024%	
	Bacteria Cultures	5x10 ¹¹ /gallon	

*RIS means refractive index of solids.

Stability of the formulation in Table IV is described in Table V,
30 below.

TABLE V

Days	0	7	17	27	34	41
Room* Temp CFU	5.77	5.63	5.1	5.93	5.6	5.2
100°F * CFU	5.77	5.07	4.93	3.4	3.77	3

CFU = Colony Forming Unit ($\times 10^7$)

*Data given at room temperature and at 100°F

5

The long term stability of the composition may also be illustrated by the % recovery as demonstrated in Table III.

TABLE VI

	<u>Initial Population</u>	<u>35 Days</u>	<u>Net Loss</u>	<u>% Recovery</u>
Room Temperature	5.77×10^7	5.2×10^7	5.7×10^6 CFU/ml	90.1%
100° F	5.77×10^7	3.0×10^7	2.77×10^7 CFU/ml	52.0%

10

While the forms of the invention herein disclosed constitute presently preferred embodiments, many others are possible. It is not intended herein to mention all of the possible equivalent forms or ramifications of the invention. It is understood that the terms used herein are merely descriptive rather than limiting, and that various changes may be made without departing from the spirit or scope of the invention.

15

WHAT IS CLAIMED IS:

1. An aqueous disinfectant and hard surface cleaning composition comprising:

5 an effective disinfecting amount of a quaternary ammonium compound;

an effective amount of a spore forming microbial composition; and

an effective water dispersing amount of a surfactant.

10

2. A concentrated aqueous disinfectant and hard surface cleaning composition, useful by diluting with water, comprising:

an effective disinfecting amount of a quaternary ammonium compound;

15 an effective amount of a spore forming microbial composition;

an effective water dispersing amount of a surfactant; and

an effective amount of a thickening agent.

3. The composition of claim 1 wherein the cleaning composition is present in the amount of 1 to 10% by wt. with the remainder of the composition being 90 to 99% by wt water.

5 4. The composition of claim 3 wherein the quaternary ammonium compound is present in the amount of 5.5%;

the spore forming microbial composition is present in the amount of 0.01%;

the surfactant is present in the amount of 6.3%;

10 and the pH ranges from 6 to 8.

5. The composition of claim 1 comprising the following materials by weight:

	quaternary material	1-10%
15	microbial material	$1 \times 10^9 - 1 \times 10^{12}$ CFU/gallon (colony forming unit)
	surfactant	1-10%
	a thickening agent	0.1-5%
	water	remaining amount
20		total 100%.

6. The composition of claim 1 comprising the following materials:

	quaternary material	0.1-2% by wt.
	microbial material	$1 \times 10^8 - 1 \times 10^{10}$ CFU/gallon
5	surfactant	0.1-5%
	a thickening agent	trace
	water	remaining amount
		total 100%.

10 7. A method of cleaning a soiled hard surface containing a diverse microbial flora comprising applying the composition of claim 1 to the surface and drying the surface thereby cleaning and disinfecting the surface.

15 8. The method of claim 7 wherein the hard surface contains microbes, selected from the group consisting of Staphylococcus aureus, Pseudomonas aeruginosa, Salmonella choleraesius and Escherichia coli.

20 9. The method of claim 7 wherein the soiled surface is comprised of blood serum as an organic soil load in the composition which is diluted in hard water containing 100-400 ppm CaCO_3 , thereby demonstrating efficacy as a one-step cleaner disinfectant.

10. The method claim 7 comprising the following materials:

	quaternary material	1-10%
5	microbial material	$1 \times 10^9 - 1 \times 10^{12}$ CFU/gallon (colony forming unit)
	surfactant	1-10%
	a thickening agent	0.1-5%
	water	remaining amount
10		total 100%.

11. The method of claim 7 comprising the following materials:

	quaternary material	0.1-2% by wt.
15	microbial material	$1 \times 10^8 - 1 \times 10^{10}$ CFU/gallon
	surfactant	0.1-5%
	a thickening agent	trace
	water	remaining amount
		total 100%.

12. An aqueous disinfectant and hard surface cleaning composition consisting essentially of by weight:

	cationic material	1-10%
	microbiological material	$1 \times 10^9 - 1 \times 10^{12}$ CFU/gallon
5	surfactant	1-10%
	thickening agent	0.1-5%
	water	remaining amount total 100%.

10 13. The composition of claims 1 or 12 where the salt used is calcium chloride.

14. The method of claims 10-11 where the salt used is calcium chloride.

15

15. The composition of claim 1, wherein the ammonium compound is a dialkyl of from 6-18 carbon atoms, dialkyl of 1 to 4 carbon atoms ammonium compound.

20

16. The composition of claim 2, wherein the ammonium compound is a dialkyl of from 6-18 carbon atoms, dialkyl of 1 to 4 carbon atoms ammonium compound.

17. The composition of claims 1, wherein the *Bacillus* material is comprised of *Bacillus subtilis*.

18. The composition of claims 1, wherein the *Bacillus*
5 material is comprised of *Bacillus subtilis*.

INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 00/08312

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 C11D3/48 C11D3/38 C11D1/835 A01N63/00 A01N33/12
//C11D1/62

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 C11D A01N

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

WPI Data, EPO-Internal, PAJ

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	WO 97 25865 A (SYBRON CHEMICALS) 24 July 1997 (1997-07-24) cited in the application	1-3, 5-12, 15-18
A	page 5, line 10 - line 12; example 1 -----	4
Y	WO 99 16854 A (RECKITT & COLMANN PROD LTD) 8 April 1999 (1999-04-08)	1-3, 5-12, 15-18
A	abstract; table 1 -----	4



Further documents are listed in the continuation of box C.



Patent family members are listed in annex.

* Special categories of cited documents :

A document defining the general state of the art which is not considered to be of particular relevance

E earlier document but published on or after the international filing date

L document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

O document referring to an oral disclosure, use, exhibition or other means

P document published prior to the international filing date but later than the priority date claimed

T later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

X document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

Y document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

& document member of the same patent family

Date of the actual completion of the international search

19 July 2000

Date of mailing of the international search report

31/07/2000

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Saunders, T

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/US 00/08312

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9725865 A	24-07-1997	AU 1532797 A	11-08-1997
		BR 9706998 A	20-07-1999
		CA 2241467 A	24-07-1997
		EP 0967877 A	05-01-2000
		JP 2000503320 T	21-03-2000
		NO 983214 A	13-07-1998
		US 5863882 A	26-01-1999
WO 9916854 A	08-04-1999	GB 2329901 A	07-04-1999
		AU 9176998 A	23-04-1999
		GB 2329903 A	07-04-1999
		ZA 9808858 A	06-04-1999